

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

0.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

40.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

53.85%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


30.49%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

35.71%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

25.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

44.40%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


19.79%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

0.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

28.57%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

23.03%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


23.92%

GOAL: 35.00%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

7.99%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


4.71%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY



% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

100.00%

GOAL 81.57%

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

87.91%

GOAL 75.00%

% of patients ages 15 to 65 will be screened for HIV at least once

33.48%

GOAL 55.08%

% of patients who received one or more screenings for colorectal cancer

38.73%

GOAL 54.00%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

69.66%
GOAL: 88.55%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

15.17%
GOAL: 38.52%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

10.67%
GOAL: 57.88%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

13.48%
GOAL: 50.26%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

51.76%
GOAL: 88.56%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

37.62%
GOAL: 61.04%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

77.01%
GOAL: 80.69%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

76.36%
GOAL: 83.55%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

28.22%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

25.93%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

53.60%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


14.62%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

35.32%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

23.64%

GOAL: 34.43%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months

PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year **80.77%** **GOAL 91.20%**

% of patients who had at least one lead screening by their second birthday **44.78%** **GOAL 75.00%**

% of patients ages 3-6 who had a well child in the last 1 year **N/A** **GOAL TBD**

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **89.52%** **GOAL 62.00%**

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year **89.25%** **GOAL 62.00%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st **84.02%** **GOAL 75.00%**

% of adolescents ages 12-21 who've had one medical visit during the last 12 months **N/A** **GOAL TBD**

% of patients ages 15 to 65 will be screened for HIV at least once **35.47%** **GOAL 55.08%**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

42.33%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

26.72%


GOAL: 35.00%

WOMEN'S HEALTH



25.81%
GOAL: 60.65%

% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



42.64%
GOAL: 58.67%

% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year

42.86%

**GOAL
61.04%**

PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

96.65%

**GOAL
81.57%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

87.07%

**GOAL
75.00%**

% of patients ages 15 to 65 will be screened for HIV at least once

30.21%

**GOAL
55.08%**

% of patients who received one or more screenings for colorectal cancer

41.77%

**GOAL
54.00%**

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

81.18%
GOAL: 88.55%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

14.12%
GOAL: 38.52%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

29.41%
GOAL: 57.88%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

54.12%
GOAL: 50.26%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

67.95%
GOAL: 88.56%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

62.81%
GOAL: 61.04%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

81.25%
GOAL: 80.69%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

80.00%
GOAL: 83.55%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

20.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

6.25%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

42.18%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

17.49%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

10.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

48.53%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


29.98%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

23.33%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

15.22%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

67.74%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


15.86%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age
of 2) who were
fully immunized

37.47%


GOAL: 34.79%

% of patients
(turning the age
of 13) who received
Tdap, HPV, and
meningococcal


31.81%

GOAL: 34.43%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female patients
ages 21-64 have a pap test
every 3 years
Ages 30-64 have a pap test
with HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year **77.19%** **GOAL 91.20%**

% of patients who had at least one lead screening by their second birthday **47.15%** **GOAL 75.00%**

% of patients ages 3-6 who had a well child in the last 1 year **N/A** **GOAL TBD**

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **78.06%** **GOAL 62.00%**

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year **77.86%** **GOAL 62.00%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st **57.92%** **GOAL 75.00%**

% of adolescents ages 12-21 who've had one medical visit during the last 12 months **N/A** **GOAL TBD**

% of patients ages 15 to 65 will be screened for HIV at least once **64.05%** **GOAL 55.08%**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

5.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

11.11%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

39.64%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


19.30%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

54.17%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

57.75%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

72.15%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


26.01%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

17.39%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

10.81%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

58.56%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


14.06%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

22.97%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

34.29%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

65.49%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


23.80%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

37.66%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

29.69%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

61.81%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


23.35%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

16.67%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

10.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

63.36%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

18.62%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

20.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

15.38%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

22.99%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


12.17%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

75.29%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

28.32%


GOAL: 35.00%

WOMEN'S HEALTH



71.10%
GOAL: 60.65%

% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



59.94%
GOAL: 58.67%

% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year

78.20%

**GOAL
61.04%**

PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

90.04%

**GOAL
81.57%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

81.32%

**GOAL
75.00%**

% of patients ages 15 to 65 will be screened for HIV at least once

49.38%

**GOAL
55.08%**

% of patients who received one or more screenings for colorectal cancer

64.02%

**GOAL
54.00%**

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

81.47%
GOAL: 88.55%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

14.54%
GOAL: 38.52%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

37.86%
GOAL: 57.88%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

24.76%
GOAL: 50.26%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

66.44%
GOAL: 88.56%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

61.95%
GOAL: 61.04%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

91.25%
GOAL: 80.69%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

96.20%
GOAL: 83.55%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

14.29%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

70.68%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


25.00%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year




PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



TOTAL LABORATORY COSTS : \$8,334.40



How satisfied are SAN YSIDRO HEALTH PATIENTS with their HEALTH CARE?

