

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

0.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

50.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

53.30%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


27.94%

GOAL: 35.00%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

0.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

50.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

53.30%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


27.94%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

50.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

28.57%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

24.07%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


22.30%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

11.18%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


5.56%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY



% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

96.91%

GOAL 81.57%

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

90.94%

GOAL 75.00%

% of patients ages 15 to 65 will be screened for HIV at least once

47.64%

GOAL 55.08%

% of patients who received one or more screenings for colorectal cancer

39.34%

GOAL 54.00%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

77.36%
GOAL: 88.55%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

17.45%
GOAL: 38.52%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

8.49%
GOAL: 57.88%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

18.87%
GOAL: 50.26%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

62.07%
GOAL: 88.56%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

49.27%
GOAL: 61.04%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

76.27%
GOAL: 80.69%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

76.19%
GOAL: 83.55%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

38.35%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

30.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

51.45%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


14.35%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year


65.50%

**GOAL
61.04%**

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age
of 2) who were
fully immunized

43.94%


GOAL: 34.79%

% of patients
(turning the age
of 13) who received
Tdap, HPV, and
meningococcal

35.29%

GOAL: 34.43%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months

PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year **88.35%** **GOAL 91.20%**

% of patients who had at least one lead screening by their second birthday **54.04%** **GOAL 75.00%**

% of patients ages 3-6 who had a well child in the last 1 year **N/A** **GOAL TBD**

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **91.44%** **GOAL 62.00%**

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year **91.87%** **GOAL 62.00%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st **84.47%** **GOAL 75.00%**

% of adolescents ages 12-21 who've had one medical visit during the last 12 months **N/A** **GOAL TBD**

% of patients ages 15 to 65 will be screened for HIV at least once **41.10%** **GOAL 55.08%**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

14.29%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

13.33%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

38.80%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


0.00%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

16.67%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

48.61%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


27.59%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year


30.00%

GOAL 61.04%

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

29.82%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

19.57%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

65.28%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


16.72%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE




CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age
of 2) who were
fully immunized

43.76%


GOAL: 34.79%

% of patients
(turning the age
of 13) who received
Tdap, HPV, and
meningococcal


38.05%

GOAL: 34.43%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female patients
ages 21-64 have a pap test
every 3 years
Ages 30-64 have a pap test
with HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year **84.42%** **GOAL 91.20%**

% of patients who had at least one lead screening by their second birthday **58.86%** **GOAL 75.00%**

% of patients ages 3-6 who had a well child in the last 1 year **N/A** **GOAL TBD**

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **82.63%** **GOAL 62.00%**

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year **83.78%** **GOAL 62.00%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st **66.90%** **GOAL 75.00%**

% of adolescents ages 12-21 who've had one medical visit during the last 12 months **N/A** **GOAL TBD**

% of patients ages 15 to 65 will be screened for HIV at least once **66.76%** **GOAL 55.08%**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

4.76%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

21.43%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

40.37%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


17.68%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

55.56%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

72.73%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

70.27%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

27.26%


GOAL: 35.00%

WOMEN'S HEALTH




33.83%
GOAL: 58.34%

% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



68.06%
GOAL: 60.65%

% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



64.47%
GOAL: 58.67%

% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year


79.45%

GOAL 61.04%

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

17.65%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

14.29%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

55.85%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


15.30%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

26.76%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

40.19%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

64.23%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


24.63%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

43.84%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

39.34%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

63.08%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

24.65%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

28.57%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

26.32%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

60.89%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

19.25%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

11.11%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

25.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

31.04%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


10.45%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

73.67%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

30.41%


GOAL: 35.00%

WOMEN'S HEALTH



68.89%
GOAL: 60.65%

% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



54.89%
GOAL: 58.67%

% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year

79.90%

GOAL 61.04%

PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

91.53%

GOAL 81.57%

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

89.13%

GOAL 75.00%

% of patients ages 15 to 65 will be screened for HIV at least once

48.83%

GOAL 55.08%

% of patients who received one or more screenings for colorectal cancer

66.10%

GOAL 54.00%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

85.28%
GOAL: 88.55%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

16.16%
GOAL: 38.52%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

45.12%
GOAL: 57.88%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

36.16%
GOAL: 50.26%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

71.99%
GOAL: 88.56%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

58.70%
GOAL: 61.04%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

92.86%
GOAL: 80.69%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

95.03%
GOAL: 83.55%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

14.29%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

68.85%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


26.83%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year




PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



JUNE TOTAL LABORATORY COST: \$9,370.24



How satisfied are SAN YSIDRO HEALTH PATIENTS with their HEALTH CARE?

