

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

0.00%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

40.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

55.47%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


16.86%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

41.67%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

27.27%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

40.15%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


7.02%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

100%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

46.15%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

29.29%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


20.16%

GOAL: 35.00%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

16.14%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


9.66%

GOAL: 35.00%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY



% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

88.84%

GOAL 81.57%

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

89.99%

GOAL 75.00%

% of patients ages 15 to 65 will be screened for HIV at least once

57.10%

GOAL 55.08%

% of patients who received one or more screenings for colorectal cancer

34.93%

GOAL 54.00%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

81.51%
GOAL: 88.55%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

17.65%
GOAL: 38.52%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

9.24%
GOAL: 57.88%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

29.41%
GOAL: 50.26%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

62.22%
GOAL: 88.56%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

61.30%
GOAL: 61.04%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

79.47%
GOAL: 80.69%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

75.36%
GOAL: 83.55%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

38.10%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

33.14%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

48.84%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


12.89%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE




CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age
of 2) who were
fully immunized

48.24%


GOAL: 34.79%

% of patients
(turning the age
of 13) who received
Tdap, HPV, and
meningococcal

41.86%

GOAL: 34.43%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months

PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year **85.87%** **GOAL 91.20%**

% of patients who had at least one lead screening by their second birthday **61.81%** **GOAL 75.00%**

% of patients ages 3-6 who had a well child in the last 1 year **N/A** **GOAL TBD**

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **92.45%** **GOAL 62.00%**

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year **93.21%** **GOAL 62.00%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st **84.50%** **GOAL 75.00%**

% of adolescents ages 12-21 who've had one medical visit during the last 12 months **N/A** **GOAL TBD**

% of patients ages 15 to 65 will be screened for HIV at least once **44.72%** **GOAL 55.08%**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

10.71%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

8.70%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

36.77%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


10.86%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

43.75%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

53.66%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


12.48%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year


61.54%

**GOAL
61.04%**

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

N/A

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

25.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

14.81%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


16.16%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

39.22%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

31.37%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

62.87%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


12.49%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE




CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients
(turning the age
of 2) who were
fully immunized

51.95%


GOAL: 34.79%

% of patients
(turning the age
of 13) who received
Tdap, HPV, and
meningococcal


50.41%

GOAL: 34.43%


WOMEN'S HEALTH



% of female patients
ages 16-24 who are
sexually active
have a chlamydia
screening every
12 months



% of female patients
ages 21-64 have a pap test
every 3 years
Ages 30-64 have a pap test
with HPV (co-test)
every 5 years



% of female patients
ages 50-74 have a
mammogram in the
last 2 years

PREVENTATIVE CARE



% of patients ages 0-17 who had a medical visit in the last 1 year **86.96%** **GOAL 91.20%**

% of patients who had at least one lead screening by their second birthday **72.15%** **GOAL 75.00%**

% of patients ages 3-6 who had a well child in the last 1 year **N/A** **GOAL TBD**

% of patients ages 3-17 who had a documented BMI percentile & counseling on nutrition or a referral for education in the last 1 year **89.21%** **GOAL 62.00%**

% of patients ages 3-17 who had a documented BMI percentile & counseling for physical activity or a referral for education in the last 1 year **91.10%** **GOAL 62.00%**

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st **70.85%** **GOAL 75.00%**

% of adolescents ages 12-21 who've had one medical visit during the last 12 months **N/A** **GOAL TBD**

% of patients ages 15 to 65 will be screened for HIV at least once **71.34%** **GOAL 55.08%**

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

13.04%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

25.00%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

44.17%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


9.93%

GOAL: 35.00%

WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

55.56%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

70.42%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

69.86%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


24.23%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

25%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

24.39%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

54.80%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


10.12%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year


44.83%

**GOAL
61.04%**

PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

32.26%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

45.24%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

62.84%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


21.70%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

52.31%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

55.26%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

63.02%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


21.35%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

33.33%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

34.78%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

56.84%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


9.69%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 2) who were fully immunized

9.09%

GOAL: 34.79%

% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

31.58%

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

38.88%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


10.62%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year



PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

73.07%


GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.

39.41%


GOAL: 35.00%

WOMEN'S HEALTH



62.50%
GOAL: 60.65%

% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years



60.38%
GOAL: 58.67%

% of female patients ages 50-74 have a mammogram in the last 2 years

VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year

63.93%

GOAL 61.04%

PREVENTATIVE CARE



% of patients ages 18+ who had a medical visit in the last 1 year

93.37%

GOAL 81.57%

% patients ages 12 and older who were screened for depression and if positive, had a follow-up plan documented since Jan 1st

89.80%

GOAL 75.00%

% of patients ages 15 to 65 will be screened for HIV at least once

52.05%

GOAL 55.08%

% of patients who received one or more screenings for colorectal cancer

69.06%

GOAL 54.00%

CHRONIC DISEASE MANAGEMENT

% of patients ages 18-75 w/DM dx, who had a HbA1c Test completed in the last year

86.26%
GOAL: 88.55%

% of patients ages 18-75, w/DM dx, whose HbA1c < 9% at the time of the last reading in the last year

12.48%
GOAL: 38.52%

% of patients ages 18-75 w/DM who received a retinal eye exam in the last 1 year

44.55%
GOAL: 57.88%

% of pts ages 18-75 w/DM who received a foot exam in the last 1 year

48.50%
GOAL: 50.26%

% of patients ages 18-75 w/DM who received nephropathy screening or monitoring test done during the last 1 year

69.35%
GOAL: 88.56%

% of patients ages 18-85 w/HTN whose last blood pressure (BP) is <140/90 in the last 1 year

49.59%
GOAL: 61.04%

% of patients with a diagnosis of CVD or at risk for CVD, taking a statin medication to reduce their cholesterol and risk of heart attack and stroke

92.31%
GOAL: 80.69%

% of patients with a diagnosis of (IVD) or a risk of IVD take aspirin or an antiplatelet medication to lower their risk of heart attack or stroke

92.45%
GOAL: 83.55%

PCMH Quality of Care Indicators

IMMUNIZATIONS



% of patients (turning the age of 13) who received Tdap, HPV, and meningococcal

N/A

GOAL: 34.43%

% of patients (18 and over) who were immunized with Tdap vaccine in the last 10 years

66.64%

GOAL: 62.92%

% of patients (18 and over) who were immunized with Flu vaccine each flu season.


19.58%

GOAL: 35.00%


WOMEN'S HEALTH



% of female patients ages 16-24 who are sexually active have a chlamydia screening every 12 months



% of female patients ages 21-64 have a pap test every 3 years
Ages 30-64 have a pap test with HPV (co-test) every 5 years




% of female patients ages 50-74 have a mammogram in the last 2 years


VULNERABLE - ELDERLY




% of patients ages 85-120 whose last blood pressure (BP) is <150/90 in the last 1 year




PREVENTATIVE CARE



CHRONIC DISEASE MANAGEMENT



DECEMBER TOTAL LABORATORY COST: \$7,047.44



How satisfied are SAN YSIDRO HEALTH PATIENTS with their HEALTH CARE?

